

Microgranule appearance and soluble chemical mix of chelated (EDTA) micronutrients to prevent and correct multiple deficiencies

مخلوط شیمیایی ریز مغذی های کلات شده با EDTA
برای پیشگیری و جبران کمبود همزمان چندین عنصر

En

فارسی

Guaranteed contents

Iron (Fe) soluble in water and chelated by EDTA: 5% w/w
Manganese (Mn) soluble in water and chelated by EDTA: 3.5% w/w
Zinc (Zn) soluble in water and chelated by EDTA: 2.48% w/w
Copper (Cu) soluble in water and chelated by EDTA: 1% w/w
Boron (B) soluble in water: 0.65% w/w
Molybdenum (Mo) soluble in water: 0.3% w/w
EDTA pH stability range: 3-9

Packaging (Net content) : 1 kg, 5 Kg

DOSAGE AND METHOD OF USE

Soil application: 5-10 kg/ha before sowing, transplanting or beginning of plant growth.
Hydroponic crops: 3-5 kg/1000 L solution (100 times concentrated), use 1 L of stock solution/100 L irrigation water. Use the higher rate during crop development or periods of high temperature or during shorter and cooler days.
Fertigation: 2-3 kg/ha every 7-10 days during the crop cycle, at periods of maximum needs.
Foliar application: 0.5-1.5 kg/ha or 100-150 g/100 L per application when symptoms appear.
Vegetables: 3 x 75-100 g/100 L of water (3 x 0.25-1 kg/ha) at 10-15 days intervals, beginning when foliage is sufficient.
Fruit trees, citrus, vines and olive trees: 3 x 100 g/100 L of water (3 x 0.5-1 kg/ha) before flowering and 0.5-1 kg/ha after fruit setting.
Herbaceous crops (cereals): 3 x 1 kg/ha during tillering, stem elongation and earing.
Forage: 1-1.5 kg/ha in each cutting.
Potatoes and tuber vegetables: 4 x 1 kg/ha at 7-10 days intervals, beginning at 10 cm stage. Apply in a minimum of 500 L/ha of water.
Ornamentals: 75-100 g/100 L of water (0.25-0.5 kg/ha) when symptoms appear

DIRECTIONS FOR USE

By foliar application do not apply Tradecorp AZ II to fruit crops greater than 0.1% concentration (100 g/100 L of water). By foliar application do not apply Tradecorp AZ II to broadacre crops greater than 1% concentration (1 kg/100 L of water). Do not apply during flowering or during fruit colour change. Do not use by foliar application in plum or apricot trees. Spray to dry foliage to get greater efficacy. Add Tradecorp AZ II to water while agitating. Continue agitation until granules have fully dissolved. Do not apply with other EDTA foliar fertilizer products, unless the total application of all products does not exceed the maximum for each single application. Do not pre-mix.

COMPATIBILITY

Compatible with most of the fertilizers and agrochemicals normally used. It is recommended to perform a test before mixing. To mix with calcium nitrate follow these steps: 1. Fill the tank with water. 2. Add Tradecorp AZ II. 3. Mix for 2-3 minutes. 4. Add calcium nitrate. 5. Mix.

WARNINGS, HANDLING AND STORAGE

Safety data sheet available on request. Keep out of reach of children. Do not eat, drink or smoke when using this product. Store in a fresh, dry place and keep away from extreme temperatures. Keep only in original container. Use the product according to the instructions in this label. In case of doubt, please contact authorized technicians. To be used only where there is a recognised need. Do not exceed the appropriate dose rates.

Disclaimer: The recommendations and information provided comes from several trials and studies that have been undertaken, however, during the application of the product several factors out of our control may take place (tank mixes, application, climatic conditions, etc.). Any recommendation must serve as a guide and be adapted to local conditions.

ترکیب تضمین شده:

آهن کلات شده با EDTA محلول در آب: ۵ درصد وزنی - وزنی
منگنز کلات شده با EDTA محلول در آب: ۳٫۵ درصد وزنی - وزنی
روی کلات شده با EDTA محلول در آب: ۲٫۴۸ درصد وزنی - وزنی
مس کلات شده با EDTA محلول در آب: ۱ درصد وزنی - وزنی
بُر محلول در آب: ۰٫۶۵ درصد وزنی - وزنی
مولیبدن محلول در آب: ۰٫۳ درصد وزنی - وزنی
محدوده پایداری pH: ۳ تا ۹

بسته بندی (مقدار خالص): ۱ کیلوگرم و ۵ کیلوگرم

مقدار و روش مصرف بر اساس یافته های تریدکوپر در دنیا:

مصرف خاکی: ۵ تا ۱۰ کیلو در هکتار قبل از کاشت یا انتقال نشا یا ابتدای دوره رشد.
هیدروپونیک: ۳ تا ۵ کیلوگرم در تانک کود ۱۰۰۰ لیتر، ضرب رقیق شدن ۱۰۰، یک لیتر از محلول تانک با ۱۰۰ لیتر آب مخلوط شود.
آبکود: ۲ تا ۳ کیلو در هکتار هر ۷ تا ۱۰ روز یکبار در طول دوره رشد زمانی که بیشترین نیاز هست.
محلول پاشی: ۰٫۵ تا ۱٫۵ کیلو در هکتار یا ۱۰۰ تا ۱۵۰ گرم در ۱۰۰ لیتر در هر بار مصرف هنگام ظهور علایم کمبود.
سبزیجات: ۷۵ تا ۱۰۰ گرم در ۱۰۰ لیتر آب یا (۲۵۰ گرم تا ۱ کیلو در هکتار) ۳ بار در دوره رشد هر ۱۰ تا ۱۵ روز یکبار شروع از زمان کامل شدن اندام هوایی.
درختان میوه، مرکبات و زیتون: ۱۰۰ گرم در ۱۰۰ لیتر آب (۵۰۰ گرم تا ۱ کیلو در هکتار) ۳ بار قبل از گل دهی و بعد از تشکیل میوه.
غلات: ۱ کیلو در هکتار در مراحل پنجه زنی، ساقه دهی و شیرگی شدن
علوفه: ۱ تا ۱٫۵ کیلو در هکتار زمان ظهور علایم کمبود.
سیب زمینی و گیاهان غده ای: ۱ کیلو در هکتار، ۴ بار، با فاصله ۷ تا ۱۰ روز. شروع از بوته ۱۰ سانتیمتری. حداقل ۵۰۰ لیتر در هکتار آب مصرف شود.
گیاهان زینتی: ۷۵ تا ۱۰۰ گرم در ۱۰۰ لیتر آب (۲۵۰ گرم تا ۱ کیلو در هکتار) در ابتدای فصل.

راهنمایی مصرف:

ترید کورپ آزد ۲ را با غلظت بیشتر از یک در هزار (۱۰۰ گرم در ۱۰۰ لیتر) بر روی میوه ها محلول پاشی نکنید. در صورت محلول پاشی ترید کورپ آزد ۲، بر روی گیاهانی که در سطح وسیع کشت می شوند با غلظت بیشتر از یک درصد، مصرف نکنید. در طول دوره گل دهی و تغییر رنگ میوه مصرف نشود. بر روی درختان زردآلو و آلو محلول پاشی نشود. برای کارایی بهتر، محلول پاشی را زمانی انجام دهید که برگ ها مرطوب نباشد. هنگام اضافه کردن ترید کورپ آزد ۲ به آب، همزدن را تا هنگام حل شدن کامل محصول ادامه دهید. با دیگر کودهای کلاته EDTA مخلوط نشود و یا در صورت اختلاط، غلظت نهایی از یک در هزار فراتر نرود.

سازگاری:

با اکثر ترکیبات رایج در کشاورزی، قابل اختلاط است. توصیه می شود قبل از اختلاط تست کنید. برای اختلاط با نیترات کلسیم این مراحل را دنبال کنید. ۱- تانک را با آب پر کنید. ۲- ترید کورپ آزد ۲ را بیافزایید. ۳- ۲ تا ۳ دقیقه بهم بزنید. ۴- نیترات کلسیم را افزوده و مجدد به هم بزنید.

هشدار، حمل و نقل و انبارداری:

برگه ای ایمنی محصول بنا به درخواست در دسترس است. دور از دسترس کودکان نگه داشته شود. هنگام مصرف نخورید، نیاشامید و سیگار نکشید. در جای خشک و خنک و دور از نور مستقیم آفتاب و آتش نگهداری شود نکات ایمنی رعایت شود. از وسایل و پوشاک ایمنی استفاده کنید. طبق دستور مصرف کنید. در ظرف خودش نگهداری شود. در زمان نیاز مصرف کنید. بیش از دوز توصیه شده استفاده نشود.
سلب مسئولیت: توصیه ها و اطلاعات حاضر بر اساس تعداد زیادی مطالعه و آزمایش علمی فراهم شده است. با این حال، در زمان استفاده ی محصول، به دلیل خارج از کنترل بودن عوامل متعددی مانند ترکیب تانک کود، نحوه ی استفاده، شرایط آب و هوایی و ... هرگونه توصیه تنها بایستی به عنوان یک راهنمایی انگاشته شود و با توجه به شرایط منطقه تغییر یابد.

شماره ثبت: ۶۱۳۳۲

تولیدکننده: شرکت تریدکوپر - اسپانیا

وارد کننده در ایران:

سپاهان رویش

اصفهان، خ کاشانی، پلاک ۹۴۲

تلفن: ۰۳۱ - ۳۵۰۰۷۰۰۰

srooyesh.com

