

DIRECTIONS FOR USE

By foliar application do not apply Tradecorp Cu greater than 0.1% concentration (100 g/100 L of water) to avoid defoliation risk in fruit trees. Do not apply during flowering or during fruit colour change. Do not use by foliar application in plum or apricot trees. Spray to dry foliage to get greater efficacy. Add Tradecorp Cu to water while agitating. Continue agitation until granules have fully dissolved. Do not apply with other EDTA foliar fertilizer products, unless the total application of all products does not exceed the maximum for each single application. Do not premix

COMPATIBILITY

Compatible with most of the fertilizers and agrochemicals normally used. It is recommended to perform a test before mixing.

WARNINGS, HANDLING AND STORAGE

Harmful if swallowed. Causes serious eye irritation. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse mouth. If eye irritation persists: Get medical advice/attention. Dispose of the contents/containers in accordance with the current legislation on waste treatment. Substances that contribute to the classification: disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON]cuprate(2-) (CAS 14025-15-1); Trisodium hydrogen ethylenediaminetetraacetate (CAS 150-38-9). Keep out of reach of children. Do not eat, drink or smoke when using this product. Store in a fresh, dry place and keep away from extreme temperatures. Keep only in original container. Use the product according to the instructions in this label. In case of doubt, please contact authorized technicians. To be used only where there is a recognised need. Do not exceed the appropriate dose rates.



WARNING هشدار

Disclaimer: The recommendations and information provided comes from several trials and studies that have been undertaken, however, during the application of the product several factors out of our control may take place (tank mixes, application, climatic conditions, etc.). Any recommendation must serve as a guide and be adapted to local conditions



راهنمایی مصرف:

تریدکوپر مس را با غلظت بیشتر از یک در هزار (۱۰۰ گرم در ۱۰۰ لیتر) به جهت کاهش خطر ریزش برگ در درختان میوه محلول پاشی نکنید. در طول دوره گل‌دهی و تغییر رنگ میوه مصرف نشود. در درختان زردآلو و آلو محلول پاشی نشود. برای کارایی بهتر، محلول پاشی را زمانی انجام دهید که برگ‌ها مرطوب نباشند. هنگام اضافه کردن تریدکوپر مس به آب، همزدن را تا هنگام حل شدن کامل محصول ادامه دهید. با دیگر کودهای کلاته EDTA مخلوط نشود و یا در صورت اختلاط، غلظت نهایی از یک در هزار فرا تر نرود.

سازگاری:

با اکثر ترکیبات رایج در کشاورزی، قابل اختلاط است. توصیه می‌شود قبل از اختلاط تست کنید.

هشدار، حمل و نقل و انبارداری:

در صورت بلع و تماس با چشم خطرناک است. پس از مصرف دستان خود را بشویید. در زمان مصرف از محافظ چشم / صورت استفاده کنید. در صورت تماس با چشم، با آب فراوان برای چند دقیقه بشویید. لنز تماسی را (در صورت وجود) خارج کرده و به شستشو ادامه دهید. در صورت ادامه سوزش، به پزشک مراجعه کنید. ظرف محصول را پس از مصرف مطابق قوانین روز از بین ببرید. مواد شیمیایی بر اساس طبقه بندی: disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON]cuprate(2-) (CAS 14025-15-1); Trisodium hydrogen ethylenediaminetetraacetate (CAS 150-38-9) دور از دسترس کودکان نگه داشته شود. هنگام مصرف نخورید، نیاشامید و سیگار نکشید. در جای خشک و خنک و دور از نور مستقیم آفتاب و آتش نگهداری شود. در ظرف خودش نگهداری شود. نکات ایمنی رعایت شود. در صورت بلع به اورژانس مراجعه کنید. دهان خود را بشویید. طبق دستور مصرف کنید. زمانی مصرف کنید که نیاز دارید. در صورت هرگونه ابهام با کارشناسان مشورت کنید. بیش از مقدار توصیه شده مصرف نکنید.

سلب مسئولیت: توصیه‌ها و اطلاعات حاضر بر اساس تعداد زیادی مطالعه و آزمایش علمی فراهم شده است. با این حال، در زمان استفاده‌ی محصول، به دلیل خارج از کنترل بودن عوامل متعددی مانند ترکیب تانک کود، نحوه‌ی استفاده، شرایط آب و هوایی و ... هرگونه توصیه تنها بایستی به عنوان یک راهنمایی انگاشته شود و با توجه به شرایط منطقه تغییر یابد.

